



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

the opposite side, because the depression is so slight that the curvature of the moon's surface covers the opposite wall." Or again "A dessert dish five inches in diameter (without the border) and less than a quarter of an inch in depth has twice as deep a cavity, proportionally, as the deepest of these depressions."

M. Fauth considers in detail the various theories that have been advanced to account for the origin of these peculiar features of the lunar surface and rejects them all as unsatisfactory. Yet it can not be said that he has disproved the volcanic theory, although he has certainly pointed out many difficulties in the generally accepted idea of that theory. But the theory that he advances in its place, that the moon's surface is covered by a deep layer of ice, will not be accepted without convincing proof.

The book is well printed and illustrated and is well worth reading by those who take an interest in the moon.

C. L. P.

In Starland with a Three-inch Telescope. By WILLIAM TYLER OLCOTT. Pp. 146 with many diagrams. New York, G. P. Putnam's Sons. 1909.

This is a convenient hand-book or guide for the amateur astronomer. A three-inch telescope is too small to show any planetary detail and the owner of such an instrument is practically limited to the study of the moon and of a small number of the brighter double stars. To a description of these objects, therefore, the book is confined.

Only the constellations visible in the latitude of the New England and Middle States are included and these constellations are divided into four groups, corresponding to the seasons of the year in which they are visible. For each constellation a clear and simple page map is given and on this map are marked the positions of the interesting double stars. Facing each map is a printed page, which gives the necessary details for finding and observing these objects.

The moon is treated in a similar manner, eight diagrams of different phases being given.

These show the principal features only and should be of great assistance to the student of lunar detail.

The book is well printed, the maps and diagrams well designed and executed, and the little volume is admirably adapted to encourage the study of the heavens.

C. L. P.

SCIENTIFIC JOURNALS AND ARTICLES

The Journal of Experimental Zoology, Vol. VII., No. 2, contains the following papers: "Wound Reparation and Polarity in Tentacles of Actinians," by Herbert W. Rand. A distal cut end of a tentacle of the large actinian, *Condylactis*, is immediately closed by muscular contraction and remains so during a slow process of structural repair which eventually replaces the muscular contraction. The distal cut end of an excised fragment of tentacle behaves similarly, but a proximal cut end does not close. In the conspicuously different behaviors of proximal and distal cut ends, and in responses to tactile stimulation, the tentacle shows a marked polarity which can not be accounted for upon the basis of its known structure. "A Biological and Cytological Study of Sex Determination in Phylloxerans and Aphids," by T. H. Morgan. An analysis of the behavior of the sex chromosomes in phylloxerans in connection with the behavior of the sex chromosomes in other hemiptera leads to the conclusion that these chromosomes can not be male and female determining as such, but that they are identical in all respects. Two alternative views offer themselves if this analysis is correct. Either sex is determined quantitatively by the amount of elimination contained in the fertilized egg—a view advanced by the author in 1907 and since adopted by Wilson and by Castle in a modified form—or else the presence or absence of the sex chromosomes are associated with other profound, invisible differences in the two classes of spermatozoa. It is difficult to decide at present between these alternatives, but the facts here recorded for the phylloxerans favor the interpretation that the visible chromosomal differences in the two